Subscribe (Full Service) Register (Limited Service, Free) Login Search: The ACM Digital Library O The Guide
USPTO electronic timesheet and world wide web and dimensions SEARCH
Feedback Report a problem Satisfaction survey
Terms used electronic timesheet and world wide web and dimensions Found 42,884 of 197,895
Sort results by Display results Expanded form Open results in a new window Try an Advanced Search Try this search in The ACM Guide Try this search in The ACM Guide
Results 1 - 20 of 200 Result page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>next</u> Best 200 shown Relevance scale
1 A toolkit for negotiation support interfaces to multi-dimensional data Michael Gebhardt, Matthias Jarke, Stephan Jacobs June 1997 ACM SIGMOD Record - Proceedings of the 1997 ACM SIGMOD international

<u>terms</u> CoDecide is an experimental user interface toolkit that offers an extension to spreadsheet concepts specifically geared towards support for cooperative analysis of the kinds of multi-dimensional data encountered in data warehousing. It is distinguished from previous proposals by direct support for drill-down/roll-up analysis without redesign of an interface; more importantly, CoDecide can link multiple views on a data cube for synchronous or asynchronoous cooperation by multiple ana ...

Additional Information: full citation, abstract, references, citings, index

conference on Management of data SIGMOD '97, Volume 26 Issue 2

² Image Retrieval from the World Wide Web: Issues, Techniques, and Systems

M. L. Kherfi, D. Ziou, A. Bernardi

March 2004 ACM Computing Surveys (CSUR), Volume 36 Issue 1

Publisher: ACM Press

Publisher: ACM Press

Full text available: 🔂 pdf(1.80 MB)

Full text available: pdf(294.13 KB)

Additional Information: full citation, abstract, references, citings, index ·. terms

With the explosive growth of the World Wide Web, the public is gaining access to massive amounts of information. However, locating needed and relevant information remains a difficult task, whether the information is textual or visual. Text search engines have existed for some years now and have achieved a certain degree of success. However, despite the large number of images available on the Web, image search engines are still rare. In this article, we show that in order to allow people to profi ...

Keywords: Image-retrieval, World Wide Web, crawling, feature extraction and selection, indexing, relevance feedback, search, similarity

3 Three dimensional visualization of the World Wide Web

Steve Benford, Ian Taylor, David Brailsford, Boriana Koleva, Mike Craven, Mike Fraser, Gail Reynard, Chris Greenhalgh December 1999 ACM Computing Surveys (CSUR)

10/802,442

Publisher: ACM Press

Full text available: pdf(388.64 KB) Additional Information: full citation, references, citings, index terms

4 Enhancing teaching using the Internet: report of the working group on the World Wide

Web as an interactive teaching resource


Stephen Hartley, Jill Gerhardt-Powals, David Jones, Colin McCormack, M. Dee Medley, Blaine Price, Margaret Reek, Marguerite K. Summers

June 1996 ACM SIGCSE Bulletin , ACM SIGCUE Outlook , Proceedings of the 1st conference on Integrating technology into computer science education ITICSE '96, Volume 28, 24 Issue SI, 1-3.

Publisher: ACM Press

Full text available: pdf(1.26 MB) Additional Information: full citation, references, citings, index terms

5 Implementing shared manufacturing services on the World-Wide Web



Publisher: ACM Press

Full text available: 🔁 pdf(404.10 KB) Additional Information: full citation, references, citings, index terms

OFFICETECH: a new paradigm in office services?

Susan J. Winter, T. Grandon Gill


January 1999 Proceeding of the 20th international conference on Information **Systems ICIS '99**

Publisher: Association for Information Systems

Full text available: pdf(314.11 KB) Additional Information: full citation, references, index terms

WebShaman: shared virtual prototypes for product designers in the World Wide Web

والمناب أعلمه فالمناف كالمسطورة والمناف المعاورة والماق ووالما والمتابية المراجع والمراجع والمالية



Publisher: ACM Press

Full text available: pdf(579.22 KB) Additional Information: full citation, abstract, citings, index terms

We present WebShaman, a virtual prototyping application which shows how the work of electronics and telecommunications product designers can be supported using the World Wide Web. We describe a concept design session where two or more electronics product designers and their customers work on a design object such as a future mobile telephone. WebShaman demonstrates the computer support of synchronous product concept design over the WWW. The system represents the design object as a three-dimension ...

Keywords: World Wide Web, product concept design, shared virtual prototype

8 Research contributions: The impact of culture and gender on web sites: an empirical



study

Steven John Simon

December 2000 ACM SIGMIS Database, Volume 32 Issue 1

Publisher: ACM Press

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, citings, index

Full text available: pdf(1.88 MB)

The growth of electronic commerce, in particular business-to-consumer, has been explosive during the last few years. Until recently, the Web community has been a male dominated western-oriented society, with the design of Web sites reflecting that homogenous audience. Using an adapted version of Hofstede's dimensions as a means of differentiation, this study explores the perception and satisfaction levels of one hundred and sixty subjects on four web sites. Analysis indicates that perception and ...

Keywords: Hofstede model, e-commerce, gender differences (satisfaction & perception), web site design

Section 05: home and neighbourhood: Of maps and quidebooks: designing

geographical technologies Barry Brown, Mark Perry

June 2002 Proceedings of the conference on Designing interactive systems: processes, practices, methods, and techniques DIS '02

Publisher: ACM Press

Full text available: pdf(56;83 KB)

Additional Information: full citation, abstract, references, citings, index

Have the recognition during entry realistic months and it

Researchers and designers are increasingly making use of geographic location in designing context-aware computer systems. However, there has been little conceptual work on how geography interacts with technology. In this paper, we use the concepts of "place and space" to explore how technologies are used geographically and how they impact on, and are used in, the physical environment. Fieldwork with tourists using maps and guidebooks shows how technology brings space and place together in activi ... colors of their defeation of the

Keywords: context-aware computing, ethnography, geography, place and space, user studies

10 Experiences in developing collaborative applications using the World Wide Web

"shell"

Andreas Girgensohn, Alison Lee, Kevin Schueter

March 1996 Proceedings of the the seventh ACM conference on Hypertext **HYPERTEXT '96**

Publisher: ACM Press

Full text available: pdf(2.36 MB) Additional Information: full citation, references, citings, index terms

Keywords: HTTP server and clients, World Wide Web, awareness and familiarization, collaborative application, community of users, design intent, forms and scripts, portholes, rapid prototyping, work groups والأوا والاستراء والأوال The state of the s

Low technology to the power wi

The Contract was the second of the fitting that the second

11 Adaptive pull-based policies for wide area data delivery

Laura Bright, Avigdor Gal, Louiga Raschid

June 2006 ACM Transactions on Database Systems (TODS), Volume 31 Issue 2

Publisher: ACM Press

Full text available: pdf(680.22 KB) Additional Information: full citation, abstract, references, index terms

Wide area data delivery requires timely propagation of up-to-date information to thousands of clients over a wide area network. Applications include web caching, RSS source monitoring, and email access via a mobile network. Data sources vary widely in their update patterns and may experience different update rates at different times or unexpected changes to update patterns. Traditional data delivery solutions are either push-based, which requires servers to push updates to clients, or pull-based ...

W. Merry W. P. William

Keywords: Pull-based, caching, data delivery, update models

12 Proceedings - only: Towards a real-world wide web

Tim Kindberg, John Barton

September 2000 Proceedings of the 9th workshop on ACM SIGOPS European workshop: beyond the PC: new challenges for the operating system

Publisher: ACM Press

Full text available: pdf(39.11 KB) Additional Information: full citation, abstract, references

As computer hardware shrinks and lightens and as communications becomes cheaper and more widely available, we have new opportunities for software systems to support nomadic users of ubiquitous or pervasive computing services [16, 24]. We are interested in systems that support interaction with the physical world wherever users happen to be. More and more things in the physical world, such as our cars and domestic appliances, are becoming "smart". Users need a convenient frame ...

13 Analysis of lexical signatures for improving information persistence on the World



Seung-Taek Park, David M. Pennock, C. Lee Giles, Robert Krovetz or pull-bores October 2004 ACM Transactions on Information Systems (TOIS), Volume 22 Issue 4

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(808.10 KB) terms

A <i>lexical signature</i> (LS) consisting of several key words from a Web document is often sufficient information for finding the document later, even if its URL has changed. We conduct a large-scale empirical study of nine methods for generating lexical signatures, including Phelps and Wilensky's original proposal (PW), seven of our own static variations, and one new dynamic method. We examine their performance on the Web over a 10-month period, and on a TREC data set, evaluating t ...

Keywords: Broken URLs, TREC, World Wide Web, dead links, digital libraries, indexing, information retrieval, inverse document frequency, lexical signatures, robust hyperlinks, search engines, term frequency

High dynamic range imaging

Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: pdf(20.22 MB) Additional Information: full citation, abstract

Current display devices can display only a limited range of contrast and colors, which is one of the main reasons that most image acquisition, processing, and display techniques use no more than eight bits per color channel. This course outlines recent advances in high-dynamic-range imaging, from capture to display, that remove this restriction, thereby enabling images to represent the color gamut and dynamic range of the original scene rather than the limited subspace imposed by current monitor

The WebBook and the Web Forager: an information workspace for the World-Wide



Web

Stuart K. Card, George G. Robertson, William York

April 1996 Proceedings of the SIGCHI conference on Human factors in computing systems: common ground CHI '96

Publisher: ACM Press

Full text available: pdf(2.32 MB) Additional Information: full citation, references, citings, index terms html(33.10 KB)

Keywords: 3D graphics, World Wide Web, information access, information workspace, user interfaces, workspace

16 Computing curricula 2001

September 2001 Journal on Educational Resources in Computing (JERIC)

Publisher: ACM Press

Full text available: pdf(613.63 KB)

html(2.78 KB)

Additional Information: full citation, references, citings, index terms

17 Discovering Internet marketing intelligence through online analytical web usage



mining

Alex G. Büchner, Maurice D. Mulvenna

December 1998 ACM SIGMOD Record, Volume 27 Issue 4

Publisher: ACM Press

Full text available: pdf(772.06 KB) Additional Information: full citation, abstract, citings, index terms

This article describes a novel way of combining data mining techniques on Internet data in order to discover actionable marketing intelligence in electronic commerce scenarios. The data that is considered not only covers various types of server and web meta information, but also marketing data and knowledge. Furthermore, heterogeneity resolution thereof and Internet- and electronic commerce-specific pre-processing activities are embedded. A generic web log data hypercube is formally defined ...

18 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97

Publisher: IBM Press

Full text available: pdf(4.21 MB) Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

19 Blazing the trail: design considerations for interactive information pioneers

Jafar Nabkel, Eviatar Shafrir

January 1995 ACM SIGCHI Bulletin, Volume 27 Issue 1

Publisher: ACM Press

Full text available: pdf(1.65 MB) Additional Information: full citation, abstract, index terms

Electronic information is proliferating at an exponential rate with limited concern for

design or usability. Thousands of people yearly are adding dynamic information to the World Wide Web while hundreds of thousands more "surf" the Internet through Mosaic and other services. Periodicals, encyclopedias, and even news services are now published electronically. CD-ROM titles are replacing software on merchant shelves. Each of these forays into the electronic information frontier present opportuniti ...

20 Integrating electronic and technology dimensions into an advanced business elective course



Srinivasan Ragothaman, Kumoli Ramakrishnan

February 2002 Journal of Computing Sciences in Colleges, Volume 17 Issue 3

Publisher: Consortium for Computing Sciences in Colleges

Full text available: pdf(49.54 KB) Additional Information: full citation, abstract, references, index terms

This paper discusses the experience of a small Midwestern University responding to the rapid developments in the business world related to the pervasive role of technology and e-Business. Pending creation of an e-Business program, a pilot course involving the various stages of creation of e-Ventures - from "Ideas to Implementation", was developed and team-taught by three tenured faculty members at the University. Twenty-four students enrolled in the "Electronic Ventures" course were required to ...

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The committee of a superinterior and the

with the following of members at the University. The office Control of the second of the second

The relation of the reservoired by the second

The ACM Portal is published by the Association for Computing Machinery, Copyright @ 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player